

Gold King Mine Release Incident

SAMPLE DELIVERY GROUP: 680-118017-1

Prepared by

MEC<sup>X</sup> 12269 East Vassar Drive Aurora, CO 80014



#### I. INTRODUCTION

Task Order Title: Gold King Mine Release Incident

Project No.: 20408.012.001.0274.00

20408.012.001.0267.00

Sample Delivery Group: 680-118017-1 EPA Project Manager: Steve Way Weston Project Manager: Dave Robinson

TDD No.: 0001/1508-04

Matrix: Water
QC Level: Stage 2A
No. of Samples: 4

No. of Reanalyses/Dilutions: 0

Laboratory: TestAmerica- Savannah

Table 1. Sample Identification

Location ID	Lab Sample Name	Matrix Type	Collection Date	Method
GKM A72 101915 1345	680-118017-2	Water	10/19/15	200.7, 200.8, 2320B,
GKW_A72_101915_1345	000-110017-2	vvalei	12:00 AM	2340B, 245.1, 300.0, 4500
CKM CSTO Ding 101015 1145	680-118017-4	Water	10/19/15	200.7, 200.8, 2320B,
GKM_GSTO_Pipe_101915_1145	000-110017-4	vvalei	11:45 AM	2340B, 245.1, 300.0, 4500
GKM GSTO 101915 1140	680-118017-1	Water	10/19/15	200.7, 200.8, 2320B,
GKW_GS10_101915_1140	000-110017-1	vvalei	11:40 AM	2340B, 245.1, 300.0, 4500
CKMCSTI 101015 1045	680-118017-3	Water	10/19/15	200.7, 200.8, 2320B,
GKMGSTI_101915_1045	000-110017-3	vvalei	10:45 AM	2340B, 245.1, 300.0, 4500

### **II. Sample Management**

Anomalies regarding sample management are noted below. The samples were received within the temperature limits of  $4^{\circ}C$   $\pm 2^{\circ}C$ . The samples were received intact, on ice, and properly preserved. The chain-of-custody (COC) was appropriately signed and dated by field and laboratory personnel. The presence or absence of custody seals on the cooler was not specifically noted.

#### The following issues were noted:

- The sample listed on the COC as GKM\_GSTO\_101915\_1140 was logged by the laboratory as GKM\_GSTO-101915\_1140 and the sample listed as GKM\_A72\_101915\_1345 on the COC was logged by the laboratory as GKM\_A72\_101915. The laboratory provided revised hardcopy and EDD correcting the discrepancy on 11/19/2015.
- Dissolved hardness was requested on the COC. Per previous instruction, the laboratory only provided total hardness.



- The COCs did not list CLP sample IDs, and none were provided. The laboratory logged the samples per the location IDs on the COCs.
- The presence or absence of sample tags was not noted in the case narrative, and sample tags were not listed on the COCs.
- The laboratory reported several analytes that exceeded the linear range of the instrument. The samples were not reanalyzed within the linear range of the instrument; specifically manganese (total and dissolved), copper (total and dissolved) and zinc (total and dissolved).

## **Data Qualifier Reference Table**

Qualifier	Organics	Inorganics
U	The analyte was analyzed for, but was not detected above the reported sample quantitation limit. The associated value is the quantitation limit or the estimated detection limit for dioxins or PCB congeners.	The material was analyzed for, but was not detected above the level of the associated value. The associated value is either the sample quantitation limit or the sample detection limit. The associated value is the sample detection limit or the quantitation limit for perchlorate only.
UB	The analyte was detected in the sample and in either the associated laboratory blank or field blank. If detected below the reporting limit (RL) the analyte result was reported as non-detected at the RL due to blank contamination. If detected above the RL, the analyte result was reported as non-detected at the reported result due to blank contamination.	The analyte was detected in the sample and in either the associated laboratory blank or field blank. If detected below the reporting limit (RL) the analyte result was reported as non-detected at the RL due to blank contamination. If detected above the RL, the analyte result was reported as non-detected at the reported result due to blank contamination.
J	The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample.	The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample.
J+	Not applicable	The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample, and may have a potential positive bias.
J-	Not applicable	The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample, and may have a potential negative bias.



Qualifier	Organics	Inorganics
UJ	The analyte was not deemed above the reported sample quantitation limit. However, the reported quantitation limit is approximate and may or may not represent the actual limit of quantitation necessary to accurately and precisely measure the analyte in the sample.	The material was analyzed for, but was not detected. The associated value is an estimate and may be inaccurate or imprecise.
UJB	The analyte was detected in the sample and in either the associated laboratory blank or field blank; the analyte result was reported as non-detected at either the RL or the reported result. The reported quantitation limit is approximate and may or may not represent the actual limit of quantitation necessary to accurately and precisely measure the analyte in the sample.	The analyte was detected in the sample and in either the associated laboratory blank or field blank; the analyte result was reported as non-detected at either the RL or the reported result. The reported quantitation limit is approximate and may or may not represent the actual limit of quantitation necessary to accurately and precisely measure the analyte in the sample.
N	The analysis indicates the presence of an analyte for which there is presumptive evidence to make a "tentative identification."	Not applicable.
NJ	The analysis indicates the presence of an analyte that has been "tentatively identified" and the associated numerical value represents its approximate concentration.	Not applicable.
R	The data are unusable. The sample results are rejected due to serious deficiencies in the ability to analyze the sample and to meet quality control criteria. The presence or absence of the analyte cannot be verified.	The data are unusable. The sample results are rejected due to serious deficiencies in the ability to analyze the sample and to meet quality control criteria. The presence or absence of the analyte cannot be verified.

## **Qualification Code Reference Table**

Qualifier	Organics	Inorganics
H	Holding times were exceeded.	Holding times were exceeded.
S	Surrogate recovery was outside QC limits.	The sequence or number of standards used for the calibration was incorrect
С	Calibration %RSD or %D was noncompliant.	Correlation coefficient is <0.995 or calibration was noncompliant.
R	Calibration RRF was <0.05.	%R for calibration is not within control limits.
В	Presumed contamination as indicated by the preparation (method) blank results.	Presumed contamination as indicated by the preparation (method) or calibration blank results.
L	Laboratory Blank Spike/Blank Spike Duplicate %R was not within control limits.	Laboratory Control Sample %R was not within control limits.
L1	LCS/LCSD RPD was outside control limits.	LCS/LCSD RPD was outside control limits.
Q	MS/MSD recovery was poor.	MS recovery was poor.
Q1	MS/MSD RPD was outside control limits.	MS/MSD RPD was outside control limits.
Е	Not applicable.	Duplicates showed poor agreement.
I	Internal standard performance was unsatisfactory.	ICP ICS results were unsatisfactory.
Α	Not applicable.	ICP Serial Dilution %D were not within control limits.
M	Tuning (BFB or DFTPP) was noncompliant.	ICPMS tune was not compliant.
Т	Presumed contamination as indicated by the trip blank results.	Not applicable.
+	False positive – reported compound was not present.	Not applicable.
-	False negative – compound was present but not reported.	Not applicable.
F	Presumed contamination as indicated by the FB or ER results.	Presumed contamination as indicated by the FB or ER results.
F1	Field duplicate results were outside the control limit.	Field duplicate results were outside the control limit.
\$	Reported result or other information was incorrect.	Reported result or other information was incorrect.



Qualifier	Organics	Inorganics
?	TIC identity or reported retention time has been changed.	Not applicable.
D	The analysis with this flag should not be used because another more technically sound analysis is available.	The analysis with this flag should not be used because another more technically sound analysis is available.
Р	Instrument performance for pesticides was poor.	Post Digestion Spike recovery was not within control limits.
*  , *	Unusual problems found with the data that have been described in Section II, "Sample Management," or Section III, "Method Analyses." The number following the asterisk (*) will indicate the report section where a description of the problem can be found.	Unusual problems found with the data that have been described in Section II, "Sample Management," or Section III, "Method Analyses." The number following the asterisk (*) will indicate the report section where a description of the problem can be found.



### **III. Method Analyses**

# A. Contract Laboratory Program Statement of Work for Inorganic Superfund Methods, 200.7, 200.8, 245.1—Metals and Mercury

Reviewed By: P. Meeks

Date Reviewed: October 22, 2015

The samples listed in Table 1 for these analyses were validated based on the guidelines outlined in the Sampling and Analysis Plan/Quality Assurance Project Plan for Gold King Mine Release, Silverton, San Juan County, Colorado (2015), United States Environmental Protection Agency Contract Laboratory Program Statement of Work for Inorganic Superfund Methods, EPA Methods 200.7, 200.8 and 245.1, and the National Functional Guidelines for Inorganic Superfund Data Review (2010).

- Holding Times: The analytical holding times, 28 days for mercury and six months for the remaining metals, were met.
- Analytical Method Blanks: There were no detects in the method blanks.
- Laboratory Control Samples (LCS): The recoveries were within laboratory control limits of 85-115%.
- Laboratory Duplicates: No laboratory duplicate analyses were performed on a sample in this SDG. Method precision was evaluated based on matrix spike/matrix spike duplicate results.
- Matrix Spike/Matrix Spike Duplicate (MS/MSD): MS/MSD analyses were performed on the samples below.

Parent Sample	Analysis
GKM_GSTO_101915_1140	200.7 (total), 200.8 (total)
GKM_A72_101915_1345	200.7 (total), 200.8 (total)
GKMGSTI_101915_1045	Mercury (total)
GKM_GSTO_Pipe_101915_1145	Mercury (total)

Results were not assessed when the native concentration was more than 4× the spike amount. The recoveries were within the laboratory control limits of 75-125% for the 200.7 analytes and within 70-130% for mercury and the 200.8 analytes. The RPDs were ≤20%.

 Post Digestion Spike (PDS): There were no PDS analyses performed on a sample in this SDG.

7 Revision 0



- Serial Dilution: There were no serial dilution analyses performed in this SDG.
  - Field QC Samples: Field QC samples were evaluated, and if necessary, qualified based on method blanks and other laboratory QC results affecting the usability of the field QC data. Any remaining detects were used to evaluate the associated site samples.
     Following are findings associated with field QC samples:
    - Field Blanks and Equipment Rinsates: No field blank or equipment rinsate samples were identified in this SDG.
    - o Field Duplicates: There were no field duplicate samples identified in this SDG.

## B. VARIOUS EPA METHODS—General Chemistry

Reviewed By: P. Meeks

Date Reviewed: October 22, 2015

The samples listed in Table 1 for these analyses were validated based on the guidelines outlined in the Sampling and Analysis Plan/Quality Assurance Project Plan for Gold King Mine Release, Silverton, San Juan County, Colorado (2015), United States Environmental Protection Agency Contract Laboratory Program Statement of Work for Inorganic Superfund Methods, EPA Method 300.0, Standard Methods for the Examination of Water and Wastewater 2340B, 2320B, and 4500 H+, and the National Functional Guidelines for Superfund Inorganic Data Review (2010).

- Holding Times: The pH measurements were performed in a fixed laboratory rather than on-site; therefore all pH results were qualified as estimated (J), as the analysis was not conducted in the field. No bias was assigned as the effect on the pH result could not be ascertained. The remaining holding times, as listed below, were met.
  - o Hardness (2340B) 6 months
  - Alkalinity (2320B) 14 days
  - o Nitrate-N (300.0) 24 hours
  - o Remaining anions (300.0) 28 days
  - o pH (4500 H+) ASAP
- Analytical Method Blanks: There were no detects in the method blanks.
- Laboratory Control Samples: The analytes utilized in the calculation of hardness were recovered within the metals control limits. The pH recovery was within the laboratory control limits of 63-158% but exceeded the EPA Method 150.1 check standard control limit of ±0.05 at +0.24 pH units; therefore, the pH results were qualified as estimated with a potential high bias (J+). Alkalinity recoveries were within the laboratory control limits of 80-



120%, anion recoveries were within the laboratory control limits of 90-110%, and alkalinity and anion RPDs were within the QAPP control limit of ≤20%.

• Laboratory Duplicates: Laboratory duplicate analyses were performed on the samples below.

Parent Sample	Analysis
GKM_GSTO_Pipe_101915_1145	All anions
GKM_GSTO_101915_1140	Alkalinity, pH

The pH RPD was within the laboratory control limit of  $\leq$ 40% but exceeded the EPA Method 150.1 control limit of  $\pm$ 0.05 pH units at 0.10 pH units; therefore, the pH results were qualified as estimated (J) for samples GKM\_GSTO\_Pipe\_101915\_1145 and GKM\_GSTO\_101915\_1140. The RPDs for the remaining analytes were within the QAPP control limit of  $\leq$ 20%.

- Matrix Spike/Matrix Spike Duplicate (MS/MSD): MS/MSD analyses are applicable only to the anion analysis. MS/MSD analyses were performed on sample GKM\_GSTO\_Pipe\_101915\_1145 for all anions. Results were not assessed when the native concentration was more than 4× the spike amount. Recoveries were within the laboratory control limits of 80-120% and RPDs were within the QAPP control limit of ≤20%.
- Field QC Samples: Field QC samples were evaluated, and if necessary, qualified based on method blanks and other laboratory QC results affecting the usability of the field QC data. Any remaining detects were used to evaluate the associated site samples. Following are findings associated with field QC samples:
  - Field Blanks and Equipment Rinsates: This SDG had no identified field blank or equipment rinsate samples.
  - Field Duplicates: There were no field duplicate samples identified in this SDG.

# Validated Sample Result Forms: 680-118017-1

Analysis Method 200.7 Rev 4.4

Sample Name GKM\_GSTO\_101915\_1140 Matrix Type: Water

**Lab Sample Name:** 680-118017-1 **Sample Date:** 10/19/2015 11:40:00 AM

Analyte	Total/Dissolved	CAS No	Result Value	Reporting Limit	MDL	Result Units	Lab Qualifier	Validation Qualifier	Validation Notes
Aluminum	T	7429-90-5	4100	200	24	ug/L			
Aluminum, Dissolved	D	7429-90-5	1700	200	24	ug/L			
Calcium	T	7440-70-2	470000	500	25	ug/L			
Calcium, Dissolved	D	7440-70-2	470000	500	25	ug/L			
Iron	T	7439-89-6	10000	50	17	ug/L			
Iron, Dissolved	D	7439-89-6	2300	50	17	ug/L			
Magnesium	T	7439-95-4	18000	500	33	ug/L			
Magnesium, Dissolved	D	7439-95-4	18000	500	33	ug/L			
Potassium	T	7440-09-7	2300	1000	17	ug/L			
Potassium, Dissolve	d D	7440-09-7	2400	1000	17	ug/L			
Sodium	T	7440-23-5	7100	1000	480	ug/L			
Sodium, Dissolved	D	7440-23-5	7500	1000	480	ug/L			

Sample Name GKM\_A72\_101915\_1345 Matrix Type: Water

**Lab Sample Name:** 680-118017-2 **Sample Date:** 10/19/2015

Analyte	Total/Dissolved	CAS No	Result Value	Reporting Limit	MDL	Result Units	Lab Qualifier	Validation Qualifier	Validation Notes
Aluminum	T	7429-90-5	2500	200	24	ug/L			
Aluminum, Dissolved	D	7429-90-5	260	200	24	ug/L			
Calcium	T	7440-70-2	65000	500	25	ug/L			
Calcium, Dissolved	D	7440-70-2	65000	500	25	ug/L			
Iron	T	7439-89-6	4100	50	17	ug/L			
Iron, Dissolved	D	7439-89-6	1200	50	17	ug/L			
Magnesium	T	7439-95-4	4900	500	33	ug/L			
Magnesium, Dissolved	D	7439-95-4	5000	500	33	ug/L			
Potassium	T	7440-09-7	950	1000	17	ug/L	J	J	
Potassium, Dissolve	d D	7440-09-7	950	1000	17	ug/L	J	J	
Sodium	T	7440-23-5	2700	1000	480	ug/L			
Sodium, Dissolved	D	7440-23-5	2700	1000	480	ug/L			

Friday, November 20, 2015 Page 1 of 10

Sample Name GKMGSTI\_101915\_1045 Matrix Type: Water

**Lab Sample Name:** 680-118017-3 **Sample Date:** 10/19/2015 10:45:00 AM

Analyte	Total/Dissolved	CAS No	Result Value	Reporting Limit	MDL	Result Units	Lab Qualifier	Validation Qualifier	Validation Notes
Aluminum	Т	7429-90-5	20000	200	24	ug/L			
Aluminum, Dissolved	D	7429-90-5	19000	200	24	ug/L			
Calcium	T	7440-70-2	340000	500	25	ug/L			
Calcium, Dissolved	D	7440-70-2	340000	500	25	ug/L			
Iron	T	7439-89-6	86000	50	17	ug/L			
Iron, Dissolved	D	7439-89-6	59000	50	17	ug/L			
Magnesium	T	7439-95-4	19000	5000	330	ug/L			
Magnesium, Dissolved	D	7439-95-4	19000	5000	330	ug/L			
Potassium	T	7440-09-7	2200	1000	17	ug/L			
Potassium, Dissolve	d D	7440-09-7	2300	1000	17	ug/L			
Sodium	T	7440-23-5	7300	1000	480	ug/L			
Sodium, Dissolved	D	7440-23-5	7700	1000	480	ug/L			

Sample Name GKM\_GSTO\_Pipe\_101915\_1145 Matrix Type: Water

**Lab Sample Name:** 680-118017-4 **Sample Date:** 10/19/2015 11:45:00 AM

Analyte	Total/Dissolved	CAS No	Result Value	Reporting Limit	MDL	Result Units	Lab Qualifier	Validation Qualifier	Validation Notes
Aluminum	T	7429-90-5	1100	200	24	ug/L			
Aluminum, Dissolved	D	7429-90-5	950	200	24	ug/L			
Calcium	T	7440-70-2	470000	500	25	ug/L			
Calcium, Dissolved	D	7440-70-2	460000	500	25	ug/L			
Iron	T	7439-89-6	160	50	17	ug/L			
Iron, Dissolved	D	7439-89-6	17	50	17	ug/L	U	U	
Magnesium	T	7439-95-4	18000	500	33	ug/L			
Magnesium, Dissolved	D	7439-95-4	18000	500	33	ug/L			
Potassium	T	7440-09-7	2300	1000	17	ug/L			
Potassium, Dissolve	d D	7440-09-7	2300	1000	17	ug/L			
Sodium	T	7440-23-5	7300	1000	480	ug/L			
Sodium, Dissolved	D	7440-23-5	7300	1000	480	ug/L			

Friday, November 20, 2015 Page 2 of 10

Sample Name GKM\_GSTO\_101915\_1140 Matrix Type: Water

**Lab Sample Name:** 680-118017-1 **Sample Date:** 10/19/2015 11:40:00 AM

Analyte	Total/Dissolved	CAS No	Result Value	Reporting Limit	MDL	Result Units	Lab Qualifier	Validation Qualifier	Validation Notes
Antimony	T	7440-36-0	0.4	1	0.4	ug/L	U	U	
Antimony, Dissolved	D	7440-36-0	0.4	1	0.4	ug/L	U	U	
Arsenic	T	7440-38-2	0.93	1	0.37	ug/L	J	J	
Arsenic, Dissolved	D	7440-38-2	0.37	1	0.37	ug/L	U	U	
Barium	T	7440-39-3	8.5	2	0.14	ug/L			
Barium, Dissolved	D	7440-39-3	8.8	2	0.14	ug/L			
Beryllium	T	7440-41-7	1.3	0.4	0.15	ug/L			
Beryllium, Dissolved	D	7440-41-7	0.32	0.4	0.15	ug/L	J	J	
Cadmium	T	7440-43-9	10	0.5	0.043	ug/L			
Cadmium, Dissolved	D	7440-43-9	3.3	0.5	0.043	ug/L			
Chromium	T	7440-47-3	1	2	1	ug/L	U	U	
Chromium, Dissolved	D	7440-47-3	1	2	1	ug/L	U	U	
Cobalt	T	7440-48-4	15	0.4	0.12	ug/L			
Cobalt, Dissolved	D	7440-48-4	5.1	0.4	0.12	ug/L			
Copper	T	7440-50-8	720	1	0.5	ug/L			
Copper, Dissolved	D	7440-50-8	170	1	0.5	ug/L			
Lead	T	7439-92-1	3.5	0.3	0.06	ug/L			
Lead, Dissolved	D	7439-92-1	1.2	0.3	0.06	ug/L			
Manganese	T	7439-96-5	12000	2.5	1.2	ug/L	Е		
Manganese, Dissolved	D	7439-96-5	9900	2.5	1.2	ug/L	Е		
Molybdenum	T	7439-98-7	0.45	1	0.45	ug/L	U	U	
Molybdenum, Dissolved	D	7439-98-7	0.45	1	0.45	ug/L	U	U	
Nickel	T	7440-02-0	11	1	0.4	ug/L			
Nickel, Dissolved	D	7440-02-0	5.9	1	0.4	ug/L			
Selenium	T	7782-49-2	0.58	2	0.58	ug/L	U	U	
Selenium, Dissolved	D	7782-49-2	0.58	2	0.58	ug/L	U	U	
Silver	T	7440-22-4	0.1	1	0.1	ug/L	U	U	
Silver, Dissolved	D	7440-22-4	0.1	1	0.1	ug/L	U	U	
Thallium	T	7440-28-0	0.17	0.2	0.1	ug/L	J	J	
Thallium, Dissolved	D	7440-28-0	0.17	0.2	0.1	ug/L	J	J	
Vanadium	T	7440-62-2	0.83	1	0.3	ug/L	J	J	
Vanadium, Dissolved	l D	7440-62-2	0.3	1	0.3	ug/L	U	U	
Zinc	T	7440-66-6	2900	20	2.8	ug/L			
Zinc, Dissolved	D	7440-66-6	680	20	2.8	ug/L			

Friday, November 20, 2015 Page 3 of 10

Sample Name GKM\_A72\_101915\_1345 Matrix Type: Water

**Lab Sample Name:** 680-118017-2 **Sample Date:** 10/19/2015

Analyte	Total/Dissolved	CAS No	Result Value	Reporting Limit	MDL	Result Units	Lab Qualifier	Validation Qualifier	Validation Notes
Antimony	T	7440-36-0	0.4	1	0.4	ug/L	U	U	
Antimony, Dissolved	D	7440-36-0	0.4	1	0.4	ug/L	U	U	
Arsenic	T	7440-38-2	1	1	0.37	ug/L			
Arsenic, Dissolved	D	7440-38-2	0.37	1	0.37	ug/L	U	U	
Barium	T	7440-39-3	26	2	0.14	ug/L			
Barium, Dissolved	D	7440-39-3	24	2	0.14	ug/L			
Beryllium	T	7440-41-7	0.3	0.4	0.15	ug/L	J	J	
Beryllium, Dissolved	D	7440-41-7	0.15	0.4	0.15	ug/L	U	U	
Cadmium	T	7440-43-9	1.5	0.5	0.043	ug/L			
Cadmium, Dissolved	D	7440-43-9	1.5	0.5	0.043	ug/L			
Chromium	T	7440-47-3	1	2	1	ug/L	U	U	
Chromium, Dissolved	D	7440-47-3	1	2	1	ug/L	U	U	
Cobalt	T	7440-48-4	6.2	0.4	0.12	ug/L			
Cobalt, Dissolved	D	7440-48-4	6.1	0.4	0.12	ug/L			
Copper	T	7440-50-8	45	1	0.5	ug/L			
Copper, Dissolved	D	7440-50-8	14	1	0.5	ug/L			
Lead	T	7439-92-1	9.8	0.3	0.06	ug/L			
Lead, Dissolved	D	7439-92-1	0.83	0.3	0.06	ug/L			
Manganese	T	7439-96-5	1500	2.5	1.2	ug/L			
Manganese, Dissolved	D	7439-96-5	1500	2.5	1.2	ug/L			
Molybdenum	T	7439-98-7	0.91	1	0.45	ug/L	J	J	
Molybdenum, Dissolved	D	7439-98-7	0.45	1	0.45	ug/L	J	J	
Nickel	T	7440-02-0	4.5	1	0.4	ug/L			
Nickel, Dissolved	D	7440-02-0	4.8	1	0.4	ug/L			
Selenium	T	7782-49-2	0.58	2	0.58	ug/L	U	U	
Selenium, Dissolved	D	7782-49-2	0.58	2	0.58	ug/L	U	U	
Silver	T	7440-22-4	0.1	1	0.1	ug/L	U	U	
Silver, Dissolved	D	7440-22-4	0.1	1	0.1	ug/L	U	U	
Thallium	T	7440-28-0	0.1	0.2	0.1	ug/L	U	U	
Thallium, Dissolved	D	7440-28-0	0.1	0.2	0.1	ug/L	U	U	
Vanadium	T	7440-62-2	0.71	1	0.3	ug/L	J	J	
Vanadium, Dissolved	l D	7440-62-2	0.3	1	0.3	ug/L	U	U	
Zinc	T	7440-66-6	580	20	2.8	ug/L			
Zinc, Dissolved	D	7440-66-6	540	20	2.8	ug/L			

Friday, November 20, 2015 Page 4 of 10

Sample Name GKMGSTI\_101915\_1045 Matrix Type: Water

**Lab Sample Name:** 680-118017-3 **Sample Date:** 10/19/2015 10:45:00 AM

Antimony T 7440-36-0 2.3 1 0.4 ug/L  Antimony, Dissolved D 7440-36-0 0.4 1 0.4 ug/L  Arsenic T 7440-38-2 26 1 0.37 ug/L  Arsenic, Dissolved D 7440-38-2 1.1 1 0.37 ug/L  Barium T 7440-39-3 9.5 2 0.14 ug/L  Barium, Dissolved D 7440-39-3 9.3 2 0.14 ug/L  Beryllium T 7440-41-7 8 0.4 0.15 ug/L  Beryllium, Dissolved D 7440-41-7 8.1 0.4 0.15 ug/L  Cadmium T 7440-43-9 53 0.5 0.043 ug/L  Cadmium T 7440-43-9 57 0.5 0.043 ug/L  Chromium T 7440-47-3 1 2 1 ug/L  Chromium, D 7440-47-3 1 2 1 ug/L  Cobalt Dissolved D 7440-48-4 79 0.4 0.12 ug/L  Copper T 7440-50-8 4500 1 0.5 ug/L  Eadd T 7439-92-1 32 0.3 0.06 ug/L  Manganese T 7439-96-5 28000 2.5 1.2 ug/L  Manganese, D 7439-98-7 0.45 1 0.45 ug/L  Molybdenum T 7440-02-0 45 1 0.4 ug/L  Nickel T 7440-02-0 45 1 0.4 ug/L  Nickel T 7440-02-0 45 1 0.4 ug/L  Nickel T 7440-02-0 45 1 0.4 ug/L  Nickel, Dissolved D 7440-02-0 47 1 0.4 ug/L	U	
Arsenic         T         7440-38-2         26         1         0.37         ug/L           Arsenic, Dissolved         D         7440-38-2         1.1         1         0.37         ug/L           Barium         T         7440-39-3         9.5         2         0.14         ug/L           Beryllium         T         7440-39-3         9.3         2         0.14         ug/L           Beryllium, Dissolved D         7440-41-7         8         0.4         0.15         ug/L           Cadmium         T         7440-41-7         8.1         0.4         0.15         ug/L           Cadmium, Dissolved D         7440-43-9         53         0.5         0.043         ug/L           Chromium, Dissolved D         7440-43-9         57         0.5         0.043         ug/L           Chromium, T         T         7440-43-9         57         0.5         0.043         ug/L           Chromium, Dissolved D         7440-47-3         1         2         1         ug/L         U           Chromium, Dissolved D         7440-48-4         79         0.4         0.12         ug/L         U           Cobalt, Dissolved D         7440-50-8         4500		
Arsenic, Dissolved D 7440-38-2 1.1 1 0.37 ug/L  Barium T 7440-39-3 9.5 2 0.14 ug/L  Barium, Dissolved D 7440-39-3 9.3 2 0.14 ug/L  Beryllium T 7440-41-7 8 0.4 0.15 ug/L  Beryllium, Dissolved D 7440-41-7 8.1 0.4 0.15 ug/L  Cadmium T 7440-43-9 53 0.5 0.043 ug/L  Cadmium, Dissolved D 7440-43-9 57 0.5 0.043 ug/L  Chromium T 7440-43-9 57 0.5 0.043 ug/L  Chromium T 7440-47-3 2.5 2 1 ug/L  Chromium, Dissolved D 7440-47-3 1 2 1 ug/L  Chromium, D 7440-48-4 79 0.4 0.12 ug/L  Cobalt T 7440-48-4 79 0.4 0.12 ug/L  Copper T 7440-50-8 4500 1 0.5 ug/L  Copper, Dissolved D 7440-50-8 4400 1 0.5 ug/L  E Copper, Dissolved D 7439-92-1 32 0.3 0.06 ug/L  Lead T 7439-92-1 32 0.3 0.06 ug/L  Manganese T 7439-96-5 28000 2.5 1.2 ug/L  E Manganese, D 7439-96-5 28000 2.5 1.2 ug/L  Molybdenum, D 7439-98-7 0.45 1 0.45 ug/L  Molybdenum, D 7440-02-0 45 1 0.4 ug/L	ŭ	
Barium   T	U	
Barium, Dissolved   D	U	
Beryllium         T         7440-41-7         8         0.4         0.15         ug/L           Beryllium, Dissolved D         7440-41-7         8.1         0.4         0.15         ug/L           Cadmium         T         7440-43-9         53         0.5         0.043         ug/L           Cadmium, Dissolved D         7440-43-9         57         0.5         0.043         ug/L           Chromium         T         7440-47-3         2.5         2         1         ug/L           Chromium, Dissolved         D         7440-47-3         1         2         1         ug/L           Chromium, Dissolved         D         7440-47-3         1         2         1         ug/L           Chromium, Dissolved         D         7440-47-3         1         2         1         ug/L           Chromium, Dissolved         D         7440-48-4         79         0.4         0.12         ug/L           Cobalt, Dissolved         D         7440-48-4         79         0.4         0.12         ug/L           Copper         T         7440-50-8         4500         1         0.5         ug/L         E           Copper, Dissolved         D	U	
Beryllium, Dissolved D	U	
Cadmium         T         7440-43-9         53         0.5         0.043         ug/L           Cadmium, Dissolved         D         7440-43-9         57         0.5         0.043         ug/L           Chromium         T         7440-47-3         2.5         2         1         ug/L           Chromium, Dissolved         D         7440-47-3         1         2         1         ug/L           Chromium, Dissolved         D         7440-48-4         79         0.4         0.12         ug/L           Cobalt         T         7440-48-4         79         0.4         0.12         ug/L           Copper         T         7440-50-8         4500         1         0.5         ug/L         E           Copper, Dissolved         D         7440-50-8         4400         1         0.5         ug/L         E           Lead         T         7439-92-1         32         0.3         0.06         ug/L         L           Lead, Dissolved         D         7439-96-5         28000         2.5         1.2         ug/L         E           Manganese         T         7439-96-5         28000         2.5         1.2         ug/L	U	
Cadmium, Dissolved         D         7440-43-9         57         0.5         0.043         ug/L           Chromium         T         7440-47-3         2.5         2         1         ug/L           Chromium, Dissolved         D         7440-48-4         79         0.4         0.12         ug/L           Cobalt         T         7440-48-4         79         0.4         0.12         ug/L           Copper         T         7440-50-8         4500         1         0.5         ug/L           Copper, Dissolved         D         7440-50-8         4400         1         0.5         ug/L         E           Copper, Dissolved         D         7439-92-1         32         0.3         0.06         ug/L         E           Lead         T         7439-92-1         14         0.3         0.06         ug/L         L           Lead, Dissolved         D         7439-96-5         28000         2.5         1.2         ug/L         E           Manganese         T         7439-96-5         28000         2.5         1.2         ug/L         E           Molybdenum         T         7439-98-7         3.3         1         0.45	U	
Chromium T 7440-47-3 2.5 2 1 ug/L U  Chromium, D 7440-47-3 1 2 1 ug/L U  Dissolved  Cobalt T 7440-48-4 79 0.4 0.12 ug/L  Copper T 7440-50-8 4500 1 0.5 ug/L E  Copper, Dissolved D 7440-50-8 4400 1 0.5 ug/L E  Copper, Dissolved D 7439-92-1 32 0.3 0.06 ug/L  Lead T 7439-92-1 14 0.3 0.06 ug/L  Manganese T 7439-96-5 28000 2.5 1.2 ug/L E  Manganese, D 7439-96-5 28000 2.5 1.2 ug/L E  Molybdenum T 7439-98-7 3.3 1 0.45 ug/L  Molybdenum, D 7439-98-7 0.45 1 0.45 ug/L  Nickel T 7440-02-0 45 1 0.4 ug/L	ŭ	
Chromium, Dissolved  Cobalt T 7440-48-4 79 0.4 0.12 ug/L  Cobalt, Dissolved D 7440-48-4 79 0.4 0.12 ug/L  Copper T 7440-50-8 4500 1 0.5 ug/L E  Copper, Dissolved D 7440-50-8 4400 1 0.5 ug/L E  Lead T 7439-92-1 32 0.3 0.06 ug/L  Lead, Dissolved D 7439-92-1 14 0.3 0.06 ug/L  Manganese T 7439-96-5 28000 2.5 1.2 ug/L E  Manganese, D 7439-96-5 28000 2.5 1.2 ug/L E  Molybdenum T 7439-98-7 3.3 1 0.45 ug/L  Molybdenum, D 7439-98-7 0.45 1 0.45 ug/L  Molybdenum, D 7439-98-7 0.45 1 0.45 ug/L  Nickel T 7440-02-0 45 1 0.4 ug/L	U	
Dissolved         Cobalt         T         7440-48-4         79         0.4         0.12         ug/L           Cobalt, Dissolved         D         7440-48-4         79         0.4         0.12         ug/L           Copper         T         7440-50-8         4500         1         0.5         ug/L         E           Copper, Dissolved         D         7440-50-8         4400         1         0.5         ug/L         E           Lead         T         7439-92-1         32         0.3         0.06         ug/L           Lead, Dissolved         D         7439-92-1         14         0.3         0.06         ug/L           Manganese         T         7439-96-5         28000         2.5         1.2         ug/L         E           Molybdenum         T         7439-98-7         3.3         1         0.45         ug/L         U           Molybdenum, Dissolved         D         7439-98-7         0.45         1         0.45         ug/L         U           Nickel         T         7440-02-0         45         1         0.4         ug/L	U	
Cobalt, Dissolved         D         7440-48-4         79         0.4         0.12         ug/L           Copper         T         7440-50-8         4500         1         0.5         ug/L         E           Copper, Dissolved         D         7440-50-8         4400         1         0.5         ug/L         E           Lead         T         7439-92-1         32         0.3         0.06         ug/L         L           Lead, Dissolved         D         7439-92-1         14         0.3         0.06         ug/L         L           Manganese         T         7439-96-5         28000         2.5         1.2         ug/L         E           Molybdenum         T         7439-98-7         3.3         1         0.45         ug/L         U           Molybdenum, Dissolved         D         7439-98-7         0.45         1         0.45         ug/L         U           Nickel         T         7440-02-0         45         1         0.4         ug/L		
Copper T 7440-50-8 4500 1 0.5 ug/L E  Copper, Dissolved D 7440-50-8 4400 1 0.5 ug/L E  Lead T 7439-92-1 32 0.3 0.06 ug/L  Lead, Dissolved D 7439-92-1 14 0.3 0.06 ug/L  Manganese T 7439-96-5 28000 2.5 1.2 ug/L E  Manganese, D 7439-96-5 28000 2.5 1.2 ug/L E  Dissolved  Molybdenum T 7439-98-7 3.3 1 0.45 ug/L  Molybdenum, D 7439-98-7 0.45 1 0.45 ug/L  Dissolved  Nickel T 7440-02-0 45 1 0.4 ug/L		
Copper, Dissolved D 7440-50-8 4400 1 0.5 ug/L E  Lead T 7439-92-1 32 0.3 0.06 ug/L  Lead, Dissolved D 7439-92-1 14 0.3 0.06 ug/L  Manganese T 7439-96-5 28000 2.5 1.2 ug/L E  Manganese, D 7439-96-5 28000 2.5 1.2 ug/L E  Dissolved  Molybdenum T 7439-98-7 3.3 1 0.45 ug/L  Molybdenum, D 7439-98-7 0.45 1 0.45 ug/L  Dissolved  Nickel T 7440-02-0 45 1 0.4 ug/L		
Lead T 7439-92-1 32 0.3 0.06 ug/L  Lead, Dissolved D 7439-92-1 14 0.3 0.06 ug/L  Manganese T 7439-96-5 28000 2.5 1.2 ug/L E  Manganese, D 7439-96-5 28000 2.5 1.2 ug/L E  Dissolved  Molybdenum T 7439-98-7 3.3 1 0.45 ug/L  Molybdenum, D 7439-98-7 0.45 1 0.45 ug/L  Dissolved  Nickel T 7440-02-0 45 1 0.4 ug/L		
Lead, Dissolved         D         7439-92-1         14         0.3         0.06         ug/L           Manganese         T         7439-96-5         28000         2.5         1.2         ug/L         E           Manganese, Dissolved         D         7439-96-5         28000         2.5         1.2         ug/L         E           Molybdenum         T         7439-98-7         3.3         1         0.45         ug/L         U           Molybdenum, Dissolved         D         7439-98-7         0.45         1         0.45         ug/L         U           Nickel         T         7440-02-0         45         1         0.4         ug/L		
Manganese         T         7439-96-5         28000         2.5         1.2         ug/L         E           Manganese, Dissolved         D         7439-96-5         28000         2.5         1.2         ug/L         E           Molybdenum         T         7439-98-7         3.3         1         0.45         ug/L           Molybdenum, Dissolved         D         7439-98-7         0.45         1         0.45         ug/L         U           Nickel         T         7440-02-0         45         1         0.4         ug/L		
Manganese, D 7439-96-5 28000 2.5 1.2 ug/L E Dissolved  Molybdenum T 7439-98-7 3.3 1 0.45 ug/L  Molybdenum, D 7439-98-7 0.45 1 0.45 ug/L U Dissolved  Nickel T 7440-02-0 45 1 0.4 ug/L		
Dissolved  Molybdenum T 7439-98-7 3.3 1 0.45 ug/L  Molybdenum, D 7439-98-7 0.45 1 0.45 ug/L U  Dissolved  Nickel T 7440-02-0 45 1 0.4 ug/L		
Molybdenum, D 7439-98-7 0.45 1 0.45 ug/L U Dissolved  Nickel T 7440-02-0 45 1 0.4 ug/L		
Dissolved  Nickel T 7440-02-0 45 1 0.4 ug/L		
	U	
Nickel, Dissolved D 7440-02-0 47 1 0.4 ug/L		
Selenium T 7782-49-2 0.91 2 0.58 ug/L J	J	
Selenium, Dissolved D 7782-49-2 0.81 2 0.58 ug/L J	J	
Silver T 7440-22-4 0.1 1 0.1 ug/L U	U	
Silver, Dissolved D 7440-22-4 0.1 1 0.1 ug/L U	U	
Thallium T 7440-28-0 0.22 0.2 0.1 ug/L		
Thallium, Dissolved D 7440-28-0 0.21 0.2 0.1 ug/L		
Vanadium T 7440-62-2 21 1 0.3 ug/L		
Vanadium, Dissolved D 7440-62-2 0.3 1 0.3 ug/L U	U	
Zinc T 7440-66-6 18000 20 2.8 ug/L E	U	
Zinc, Dissolved D 7440-66-6 18000 20 2.8 ug/L E		

Friday, November 20, 2015 Page 5 of 10

Sample Name GKM\_GSTO\_Pipe\_101915\_1145 Matrix Type: Water

**Lab Sample Name:** 680-118017-4 **Sample Date:** 10/19/2015 11:45:00 AM

Analyte	Total/Dissolved	CAS No	Result Value	Reporting Limit	MDL	Result Units	Lab Qualifier	Validation Qualifier	Validation Notes
Antimony	T	7440-36-0	0.4	1	0.4	ug/L	U	U	
Antimony, Dissolved	D	7440-36-0	0.4	1	0.4	ug/L	U	U	
Arsenic	T	7440-38-2	0.37	1	0.37	ug/L	U	U	
Arsenic, Dissolved	D	7440-38-2	0.37	1	0.37	ug/L	U	U	
Barium	T	7440-39-3	9.2	2	0.14	ug/L			
Barium, Dissolved	D	7440-39-3	8.9	2	0.14	ug/L			
Beryllium	T	7440-41-7	0.15	0.4	0.15	ug/L	U	U	
Beryllium, Dissolved	D	7440-41-7	0.15	0.4	0.15	ug/L	U	U	
Cadmium	T	7440-43-9	2.2	0.5	0.043	ug/L			
Cadmium, Dissolved	D	7440-43-9	1.3	0.5	0.043	ug/L			
Chromium	T	7440-47-3	1	2	1	ug/L	U	U	
Chromium, Dissolved	D	7440-47-3	1	2	1	ug/L	U	U	
Cobalt	T	7440-48-4	3.8	0.4	0.12	ug/L			
Cobalt, Dissolved	D	7440-48-4	2.6	0.4	0.12	ug/L			
Copper	T	7440-50-8	16	1	0.5	ug/L			
Copper, Dissolved	D	7440-50-8	1.9	1	0.5	ug/L			
Lead	T	7439-92-1	0.33	0.3	0.06	ug/L			
Lead, Dissolved	D	7439-92-1	0.06	0.3	0.06	ug/L	U	U	
Manganese	T	7439-96-5	10000	2.5	1.2	ug/L	Е		
Manganese, Dissolved	D	7439-96-5	9200	2.5	1.2	ug/L	Е		
Molybdenum	T	7439-98-7	0.45	1	0.45	ug/L	U	U	
Molybdenum, Dissolved	D	7439-98-7	0.45	1	0.45	ug/L	U	U	
Nickel	T	7440-02-0	4.6	1	0.4	ug/L			
Nickel, Dissolved	D	7440-02-0	4	1	0.4	ug/L			
Selenium	T	7782-49-2	0.58	2	0.58	ug/L	U	U	
Selenium, Dissolved	D	7782-49-2	0.58	2	0.58	ug/L	U	U	
Silver	T	7440-22-4	0.1	1	0.1	ug/L	U	U	
Silver, Dissolved	D	7440-22-4	0.1	1	0.1	ug/L	U	U	
Thallium	T	7440-28-0	0.18	0.2	0.1	ug/L	J	J	
Thallium, Dissolved	D	7440-28-0	0.17	0.2	0.1	ug/L	J	J	
Vanadium	T	7440-62-2	0.3	1	0.3	ug/L	U	U	
Vanadium, Dissolved	l D	7440-62-2	0.3	1	0.3	ug/L	U	U	
Zinc	T	7440-66-6	120	20	2.8	ug/L			
Zinc, Dissolved	D	7440-66-6	11	20	2.8	ug/L	J	J	

Friday, November 20, 2015 Page 6 of 10

Analysis Method	2320B-2011
-----------------	------------

Sample Nam	ne	GKM_GST	O_101915_	1140				Matrix Type	: Water	
Lab Sample N	lame:	680-118017-1	Sam	ple Date:	10/19/2015 11:40:0	00 AM				
Analyte	Tota	al/Dissolved	CAS No	Result Value	Reporting Limit	MDL	Result Units	Lab Qualifier	Validation Qualifier	Validation Notes
Alkalinity	T		STL00171	13	5	5	mg/L			
Sample Nam	ne	GKM_A72	_101915_13	45				Matrix Type	: Water	
Lab Sample N	lame:	680-118017-2	Sam	ple Date:	10/19/2015					
Analyte	Tota	l/Dissolved	CAS No	Result Value	Reporting Limit	MDL	Result Units	Lab Qualifier	Validation Qualifier	Validation Notes
Alkalinity	T		STL00171	5.3	5	5	mg/L			
Sample Nam	ne	GKMGSTI	_101915_10	45				Matrix Type	: Water	
Lab Sample N	lame:	680-118017-3	Sam	ple Date:	10/19/2015 10:45:0	00 AM				
Analyte	Tota	l/Dissolved	CAS No	Result Value	Reporting Limit	MDL	Result Units	Lab Qualifier	Validation Qualifier	Validation Notes
Alkalinity	T		STL00171	5	5	5	mg/L	U	U	
Sample Nam	ne	GKM_GST	O_Pipe_101	915_1145	5			Matrix Type	: Water	
Lab Sample N	lame:	680-118017-4	Sam	ple Date:	10/19/2015 11:45:0	00 AM				
Analyte	Tota	al/Dissolved	CAS No	Result Value	Reporting Limit	MDL	Result Units	Lab Qualifier	Validation Qualifier	Validation Notes
Alkalinity	T		STL00171	16	5	5	mg/L			
Analysis I	Metho	od 234	<i>0B-2011</i>							
Sample Nam	ne	GKM_GST	O_101915_	1140				Matrix Type	: Water	
Lab Sample N	lame:	680-118017-1	Sam	ple Date:	10/19/2015 11:40:0	00 AM				
Analyte	Tota	al/Dissolved	CAS No	Result Value	Reporting Limit	MDL	Result Units	Lab Qualifier	Validation Qualifier	Validation Notes
Total Hardness	T		STL00009	1200	3.3	3.3	mg/L			
Sample Nam	ne	GKM_A72	_101915_13	45				Matrix Type	: Water	
Lab Sample N	lame:	680-118017-2	Sam	ple Date:	10/19/2015					
Analyte	Tota	al/Dissolved	CAS No	Result Value	Reporting Limit	MDL	Result Units	Lab Qualifier	Validation Qualifier	Validation Notes
Total Hardness	T		STL00009	180	3.3	3.3	mg/L			
Sample Nam	ne	GKMGSTI	_101915_10	45				Matrix Type	: Water	
Lab Sample N	lame:	680-118017-3	Sam	ple Date:	10/19/2015 10:45:0	00 AM				
Analyte	Tota	al/Dissolved	CAS No	Result Value	Reporting Limit	MDL	Result Units	Lab Qualifier	Validation Qualifier	Validation Notes
Total Hardness	T		STL00009	930	3.3	3.3	mg/L			
Eridov Novemb	or 20 20	)4 <i>E</i>					-			Dogo 7

Friday, November 20, 2015 Page 7 of 10

Т

16984-48-8

7.8

Fluoride

Sample Name GKM\_GSTO\_Pipe\_101915\_1145 Matrix Type: Water 680-118017-4 Sample Date: 10/19/2015 11:45:00 AM Lab Sample Name: Total/Dissolved **MDL** Analyte CAS No Result Reporting Result Lab Validation Validation Value Limit Units **Qualifier Qualifier Notes** Total Hardness STL00009 1200 3.3 3.3 mg/L Analysis Method 245.1 Sample Name GKM\_GSTO\_101915\_1140 Matrix Type: Water 680-118017-1 Lab Sample Name: Sample Date: 10/19/2015 11:40:00 AM Analyte Total/Dissolved CAS No Result Reporting **MDL** Result Validation Validation Lab Value Limit Units Qualifier Qualifier **Notes** 0.08 0.2 0.08 U Mercury 7439-97-6 ug/L Mercury, Dissolved U U D 7439-97-6 0.08 0.2 0.08 ug/L Sample Name GKM A72 101915 1345 Matrix Type: Water 680-118017-2 **Sample Date:** 10/19/2015 Lab Sample Name: Analyte Total/Dissolved CAS No Reporting **MDL** Result Result Validation Validation Lab Value Limit Units Qualifier Qualifier **Notes** U U Mercury 7439-97-6 0.08 0.2 0.08 ug/L 0.2 0.08 U U Mercury, Dissolved 7439-97-6 0.08 ug/L Water Sample Name GKMGSTI 101915 1045 Matrix Type: 680-118017-3 Sample Date: 10/19/2015 10:45:00 AM Lab Sample Name: Total/Dissolved CAS No **MDL** Analyte Result Reporting Result Validation Validation Lab Value Limit Units Qualifier Qualifier Notes 0.2 U U Mercury 7439-97-6 0.08 0.08 ug/L Mercury, Dissolved U U 7439-97-6 0.08 0.2 0.08 ug/L GKM\_GSTO\_Pipe\_101915\_1145 Matrix Type: Water Sample Name **Sample Date:** 10/19/2015 11:45:00 AM 680-118017-4 Lab Sample Name: Total/Dissolved Analyte CAS No Result Reporting **MDL** Result Lab Validation Validation Value Limit Units **Oualifier Oualifier** Notes Mercury 7439-97-6 0.08 0.2 0.08 U U ug/L Mercury, Dissolved D 7439-97-6 0.08 0.2 0.08 U U ug/L 300.0 Analysis Method Water GKM\_GSTO\_101915\_1140 Matrix Type: Sample Name 680-118017-1 10/19/2015 11:40:00 AM Lab Sample Name: Sample Date: Analyte Total/Dissolved CAS No Result Reporting **MDL** Result Lab Validation Validation Value Limit Units **Qualifier Qualifier Notes** Chloride 16887-00-6 0.41 0.5 0.2 mg/L J

Friday, November 20, 2015 Page 8 of 10

0.04

mg/L

0.1

Analysis	Method	300.0
$\Delta nuuvsus$	memou	300.0

Nitrate as N	T		14797-55-8	0.023	0.05	0.023	mg/L	U	U	
Sulfate	T		14808-79-8	1300	50	20	mg/L			
Sample Nar		GKM A72	2_101915_134					Matrix Type	: Water	
Lab Sample		680-118017-2			10/19/2015			JP		
Analyte	Total/	/Dissolved	CAS No	Result Value	Reporting Limit	MDL	Result Units	Lab Qualifier	Validation Qualifier	Validation Notes
Chloride	T		16887-00-6	1.4	0.5	0.2	mg/L			
Fluoride	T		16984-48-8	0.48	0.1	0.04	mg/L			
Nitrate as N	T		14797-55-8	0.098	0.05	0.023	mg/L			
Sulfate	T		14808-79-8	170	5	2	mg/L			
Sample Nar	ne	GKMGSTI	_101915_104	15				Matrix Type	: Water	
Lab Sample	Name:	680-118017-3	Samp	ole Date:	10/19/2015 10:45:	00 AM				
Analyte	Total/	/Dissolved	CAS No	Result Value	Reporting Limit	MDL	Result Units	Lab Qualifier	Validation Qualifier	Validation Notes
Chloride	Т		16887-00-6	0.54	1	0.4	mg/L	J	J	
Fluoride	T		16984-48-8	8.8	0.2	0.08	mg/L			
Nitrate as N	T		14797-55-8	0.046	0.1	0.046	mg/L	U	U	
0.10.	T		14808-79-8	1600	50	20	mg/L			
Surrate										
Sample Nar		GKM_GST	O_Pipe_101	915_1145	5			Matrix Type	: Water	
	ne	GKM_GST 680-118017-4	-		5 10/19/2015 11:45:0	00 AM		Matrix Type	: Water	
Sample Nar Lab Sample	ne Name:		-			00 AM MDL	Result Units	Matrix Type Lab Qualifier	Water  Validation Qualifier	Validation Notes
Sample Nar Lab Sample I	ne Name:	680-118017-4	Samı	ole Date: Result	10/19/2015 11:45:0 Reporting			Lab	Validation	
Sample Nar Lab Sample I Analyte Chloride	ne Name: Total/	680-118017-4	Samp CAS No	ole Date: Result Value	10/19/2015 11:45:0  Reporting  Limit	MDL	Units	Lab Qualifier	Validation Qualifier	Validation Notes
Sample Nar Lab Sample I Analyte Chloride Fluoride	ne Name: Total/	680-118017-4	CAS No	Result Value	10/19/2015 11:45:0  Reporting Limit  0.5	<b>MDL</b> 0.2	Units mg/L	Lab Qualifier	Validation Qualifier	
Sample Nar Lab Sample I Analyte Chloride Fluoride Nitrate as N	ne Name: Total/ T	680-118017-4	CAS No  16887-00-6 16984-48-8	Result Value  0.41 7.1	10/19/2015 11:45: Reporting Limit  0.5  0.1	0.2 0.04	Units  mg/L  mg/L	Lab Qualifier	Validation Qualifier J	
Sample Nam Lab Sample I Analyte Chloride Fluoride Nitrate as N	ne Name: Total/ T T T T T	680-118017-4 <b>/Dissolved</b>	CAS No  16887-00-6 16984-48-8 14797-55-8	0.41 7.1 0.023 1300	10/19/2015 11:45:0  Reporting Limit  0.5  0.1  0.05	0.2 0.04 0.023	mg/L mg/L mg/L	Lab Qualifier	Validation Qualifier J	
Sample Nam Lab Sample I Analyte Chloride Fluoride Nitrate as N Sulfate	ne Name:  Total/  T  T  T  T  T  Method	680-118017-4 /Dissolved	CAS No  16887-00-6 16984-48-8 14797-55-8 14808-79-8	0.41 7.1 0.023 1300 011	10/19/2015 11:45:0  Reporting Limit  0.5  0.1  0.05	0.2 0.04 0.023	mg/L mg/L mg/L	Lab Qualifier	Validation Qualifier J U	
Sample Nam Lab Sample I Analyte  Chloride Fluoride Nitrate as N Sulfate  Analysis	ne Name: Total/ T T T T T Method	680-118017-4 /Dissolved	CAS No  16887-00-6 16984-48-8 14797-55-8 14808-79-8 0 H+ B-2 TO_101915_1	0.41 7.1 0.023 1300 011	10/19/2015 11:45:0  Reporting Limit  0.5  0.1  0.05	0.2 0.04 0.023 20	mg/L mg/L mg/L	Lab Qualifier J	Validation Qualifier J U	
Sample Nari Lab Sample I Analyte  Chloride Fluoride Nitrate as N Sulfate Analysis Sample Nari Lab Sample I	ne Name:  Total/  T T T T Method ne Name:	680-118017-4  (Dissolved)  d 450  GKM_GST	CAS No  16887-00-6 16984-48-8 14797-55-8 14808-79-8 0 H+ B-2 TO_101915_1	0.41 7.1 0.023 1300 011	10/19/2015 11:45:0  Reporting Limit  0.5  0.1  0.05  50	0.2 0.04 0.023 20	mg/L mg/L mg/L	Lab Qualifier J	Validation Qualifier J U	Notes
Sample Nari Lab Sample I Analyte  Chloride Fluoride Nitrate as N Sulfate Analysis Sample Nari Lab Sample I Analyte	ne Name:  Total/  T T T T Method ne Name:	680-118017-4  /Dissolved  d 450  GKM_GST 680-118017-1	CAS No  16887-00-6 16984-48-8 14797-55-8 14808-79-8 0 H+ B-2 CO_101915_1 Samp	0.41 7.1 0.023 1300 011 140 ole Date: Result	10/19/2015 11:45:0  Reporting Limit  0.5  0.1  0.05  50  10/19/2015 11:40:0  Reporting	0.2 0.04 0.023 20	mg/L mg/L mg/L mg/L mg/L	Lab Qualifier  J  U  Matrix Type	Validation Qualifier  J  U  : Water	Notes Validation
Sample Nari Lab Sample I Analyte  Chloride Fluoride Nitrate as N Sulfate Analysis Sample Nari Lab Sample I Analyte	ne Name: Total/ T T T T Method ne Name: Total/	680-118017-4  /Dissolved  d 450  GKM_GST 680-118017-1  /Dissolved	CAS No  16887-00-6 16984-48-8 14797-55-8 14808-79-8 O H+ B-2 TO_101915_1 Samp	0.41 7.1 0.023 1300 011 140 ole Date: Result Value	10/19/2015 11:45:0  Reporting Limit  0.5  0.1  0.05  50  10/19/2015 11:40:0  Reporting	0.2 0.04 0.023 20	mg/L mg/L mg/L mg/L mg/L turits	Lab Qualifier  U  Matrix Type  Lab Qualifier	Validation Qualifier  U  : Water  Validation Qualifier  J+	Validation Notes
Lab Sample I Analyte  Chloride Fluoride Nitrate as N Sulfate Analysis Sample Nar Lab Sample I Analyte	Total/ T T T T Method ne Name: Total/ T	680-118017-4  /Dissolved  d 450  GKM_GST 680-118017-1  /Dissolved	CAS No  16887-00-6 16984-48-8 14797-55-8 14808-79-8 O H+ B-2 TO_101915_1 Samp CAS No  STL00204 2_101915_134	0.41 7.1 0.023 1300 011 140 ole Date: Result Value	10/19/2015 11:45:0  Reporting Limit  0.5  0.1  0.05  50  10/19/2015 11:40:0  Reporting	0.2 0.04 0.023 20	mg/L mg/L mg/L mg/L mg/L turits	Lab Qualifier  J  U  Matrix Type  Lab Qualifier  HF	Validation Qualifier  U  : Water  Validation Qualifier  J+	Validation Notes
Sample Nari Lab Sample II Analyte  Chloride Fluoride Nitrate as N Sulfate Analysis Sample Nari Lab Sample II Analyte	ne Name: Total/ T T T T Method ne Name: Total/ T ne Name:	680-118017-4  /Dissolved  d 450  GKM_GST 680-118017-1  /Dissolved	CAS No  16887-00-6 16984-48-8 14797-55-8 14808-79-8 O H+ B-2 TO_101915_1 Samp CAS No  STL00204 2_101915_134	0.41 7.1 0.023 1300 011 140 Dele Date: Result Value  8.26	Reporting Limit  0.5 0.1 0.05 50  10/19/2015 11:40:0  Reporting Limit	0.2 0.04 0.023 20	mg/L mg/L mg/L mg/L mg/L turits	Lab Qualifier  J  U  Matrix Type  Lab Qualifier  HF	Validation Qualifier  U  : Water  Validation Qualifier  J+	Validation Notes

Friday, November 20, 2015 Page 9 of 10

# Analysis Method 4500 H+ B-2011

Sample Name	e	GKMGSTI_	_101915_104	.5				Matrix Type	: Water	
Lab Sample Na	ame:	680-118017-3	Samp	le Date:	10/19/2015 10:45:00	AM				
Analyte	Total	/Dissolved	CAS No	Result Value	Reporting Limit	MDL	Result Units	Lab Qualifier	Validation Qualifier	Validation Notes
Н	T		STL00204	3.9			SU	HF	J+	H, L
Sample Name	e	GKM_GST	O_Pipe_1019	915_1145				Matrix Type	• Water	
Lab Sample Na										
Lab Sample Na	ame:	680-118017-4	Samp	le Date:	10/19/2015 11:45:00	AM				
Analyte		680-118017-4 / <b>Dissolved</b>	Samp CAS No	le Date: Result Value	10/19/2015 11:45:00  Reporting  Limit	AM MDL	Result Units	Lab Qualifier	Validation Qualifier	Validation Notes

Friday, November 20, 2015 Page 10 of 10